

8510 Flex-strips		
5608500	LED-Strip, 5m High brightness Type: SMD5050 Light Color: RGB 60 LED per meter Voltage: 12V DC Power: 14,4 W per meter International Protection Code: IP68 strip width: 15mm	
5608502	LED-Strip, 5m High brightness 60 LEDs per meter Type: SMD5050 Light Color: warm white Voltage: 24V DC Power: 14,4 W per meter International Protection Code: IP68 strip width: 15mm	
5608510	LED-Strip, 5m High brightness 60 LEDs per meter Type: SMD5050 Light Color: RGB Voltage: 24V DC Power: 14,4 W per meter International Protection Code: IP67 strip width 14mm	
5608512	LED-Strip, 5m, WW, 60LED/m, 24V, 14,4W/m, IP67 High brightness 60 LEDs per meter Type: SMD5050 Light Color: warm white Voltage: 24V DC Power: 14,4 W per meter International Protection Code: IP67 strip width 14mm	
5608520	LED-Strip, 5m High brightness 60 LEDs per meter Type: SMD5050 Light Color: RGB Voltage: 24V DC Power: 14,4 W per meter International Protection Code: IP65 strip width 12mm	
5608522	LED-Strip, 5m High brightness 60 LEDs per meter Type: SMD5050 Light Color: warm white Voltage: 24V DC Power: 14,4 W per meter International Protection Code: IP65 strip width 12mm	
5608532	LED-Strip, 5m High brightness Type: SMD3528 120 LEDs per meter Light Color: warm white Voltage: 24V DC Power: 9,6 W per meter International Protection Code: IP65 strip width 11mm	
5608540	LED-Strip, 5m High brightness 60 LEDs per meter Type: SMD5050 Light Color: RGB Voltage: 24V DC Power: 14,4 W per meter International Protection Code: IP20 strip width 12mm	

8510 Flex-strips

5608542	<p>LED-Strip, 5m                  High brightness                  60 LEDs per meter                  Type: SMD5050                  Light Color: warm white                  Voltage: 24V DC                  Power: 14,4 W per meter                  International Protection Code: IP20                  strip width 12mm</p>	
5608552	<p>LED-Strip, 5m                  High brightness                  120 LEDs per meter                  Type: SMD3528                  Light Color: warm white                  Voltage: 24V DC                  Power: 9,6 W per meter                  International Protection Code: IP20                  strip width 8mm</p>	
5608562	<p>LED-Strip, 5m                  High brightness                  60 LEDs per meter                  Type: SMD3528                  Light Color: warm white                  Voltage 24V DC                  Power: 4,8 W per meter                  International Protection Code: IP20                  strip width 8mm</p>	
5610008	<p>LED-Strip, 500 mm                  High brightness                  24 LEDs                  Type: SMD5050                  Light Color: warm white                  Voltage: 24V DC                  Power: 6,4 W                  International Protection Code: IP54</p>	

8520 Illuminants		
5607301	T8 LED-Tube, 1500 mm, 360 helle SMD LEDs Cover: Milky Type: SMD3528 Lumen: 2160 lm Light Color: Tageslichtweiß (6000-6500 K) Voltage: 185-265V AC Power: 25 W International Protection Code: IP20	
5610002	LED-Bulb Type: E27 High brightness Beaming Angle: H360° V275° Lumen: 180-200 lm Light Color: warm white (2700K) Voltage: 85-265V AC Power: 3 W	
5610003	LED-Bulb Type: E27 High brightness Beaming Angle: H360° V275° Lumen: 320-340 lm Light Color: warm white (2700K) Voltage: 85-265V AC Power: 5 W	
5610004	LED-Bulb Type: E14 High brightness Beaming Angle: H360° V275° Lumen: 180-200 lm. Light Color: warm white (2700K) Voltage: 85-265V AC Power: 3 W	
5610005	LED-Bulb Type: E27 Size: 37 x 102 mm View Angle: 120° Light Color: warm white Power: 3 W	
5610006	LED-spot light Type: MR16 Lumen: 180 lm Light Color: warm white Voltage: 12V DC Power: 3 W	
5610007	LED-spot light Type: GU10 Lumen: 180 lm Light Color: warm white Voltage: 100-240V AC Power: 3 W	
5610009	LED RGB Panel Light, 112 LEDs Size: 595 x 595 x 12 mm, Type: SMD5050 Farbe: RGB Voltage: 24V DC Power: 20 W with power supply	

8530 Transformer, Dimmer and RGB-Controller		
5605050	30W LED-power supply, WP Input: 110V-250V, Output: 24V / 1,25A International Protection Code: IP68	
5605051	60W LED-power supply, WP Input: 110V-250V, Output: 24V / 2,5A International Protection Code: IP68	
5605052	100W LED-power supply, WP Input: 110V-250V, Output: 24V / 4,16A International Protection Code: IP68	
5605053	150W LED-power supply, WP Input: 110V-250V, Output: 24V / 6,25A International Protection Code: IP68	
5605002	24W LED-power supply, wall type Input: 100V-240V, Output: 24V DC International Protection Code: IP20	
5605055	24W LED-power supply, desk typ Input: 100V-240V, Output: 12V DC International Protection Code: IP20	
5605031	36W LED-power supply Input: 170-240V, Output: 24V DC / 1,5A International Protection Code: IP20	
5605058	48W LED-power supply Input: 100-240V, Output: 24V DC / 2A International Protection Code: IP20	
5605059	60W LED-power supply Input: 100-240V, Output: 24V DC / 3A International Protection Code: IP20	

8530 Transformer, Dimmer and RGB-Controller		
5605060	96W LED-power supply Input: 100-240V, Output: 24V DC / 4A International Protection Code: IP20	
5605061	150W LED-power supply, Metall, Input: 100-240V, Output: 24V DC / 6,25A	
5605062	250W LED-power supply, Metall, Input: 100-240V, Output: 24V DC / 10,4A	
5605205	RGB-controller with remote, Touch function Voltage: 12V or 24V, Output: 12V: 216 W, 24V: 432 W 6A*3CH International Protection Code: IP20	
5605206	RGB-controller with remote, 4 buttons Voltage: 12V or 24V, Output: 12V: 144 W, 24V: 288 W 12A, 4A per channel International Protection Code: IP20	
5605208	LED Dimmer with remote, 3 buttons Voltage: 12V or 24V, Output: 12V: 96 W, 24V: 192 W 12A, 4A per channel	
5605209	LED Dimmer with remote, 12 buttons Voltage: 12V or 24V Output: 12V: 96 W, 24V: 192 W 8A,	

8540 Accessories		
5610101	LED-connector for 8mm, with wire	<p><b>FD-AC8S-03</b></p>
5610102	LED-connector for 10mm, with wire	<p><b>FD-AC10S-03</b></p>
5610103	LED-connector for RGB 10mm, with wire	<p><b>FD-AC10Q-03</b></p>
5610104	LED-connector for 12mm, with wire	<p><b>FD-AC12S-03</b></p>
5610105	LED-connector for RGB 12mm, with wire	<p><b>FD-AC12Q-03</b></p>
5610106	LED-connector for 8mm	<p><b>FD-AC8S-04</b></p>
5610107	LED-connector for 10mm	<p><b>FD-AC10S-04</b></p>
5610108	LED-connector for RGB 10mm	<p><b>FD-AC10Q-04</b></p>
5610109	LED-connector for 12mm	<p><b>FD-AC12S-04</b></p>

8540 Accessories											
5610110	LED-connector for RGB 12mm	<p><b>FD-AC12Q-04</b></p>									
5610111	LED-connector for 8mm, with wire und connector	<p><b>FD-AC8S-05</b></p>									
5610112	LED-connector for 10mm, with wire und connector	<p><b>FD-AC10S-05</b></p>									
5610113	LED-connector for RGB 10mm, with wire und connector	<p><b>FD-AC10Q-05</b></p>									
5610114	LED-connector for 12mm, with wire und connector	<p><b>FD-AC12S-05</b></p>									
5610115	LED-connector for RGB 12mm, with wire und connector	<p><b>FD-AC12Q-05</b></p>									
5610116	Silicone end cap, E01	<table border="1"> <thead> <tr> <th colspan="3">FD-AC-E01</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: right;">Unit: mm</td> </tr> </tbody> </table>	FD-AC-E01						Unit: mm		
FD-AC-E01											
Unit: mm											
5610117	Silicone end cap, E02	<table border="1"> <thead> <tr> <th colspan="3">FD-AC-E02</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: right;">Unit: mm</td> </tr> </tbody> </table>	FD-AC-E02						Unit: mm		
FD-AC-E02											
Unit: mm											
5610118	Silicone end cap, E03	<table border="1"> <thead> <tr> <th colspan="3">FD-AC-E03</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: right;">Unit: mm</td> </tr> </tbody> </table>	FD-AC-E03						Unit: mm		
FD-AC-E03											
Unit: mm											



8540 Accessories

5610119	Silicone end cap, E04	
5610120	Silicone end cap, E05	
5610121	Silicone end cap, E06	
5610122	Silicone end cap, E07	
5610123	Silicone end cap, E08	
5610124	LED-connector for Strip, 500 mm	
5610125	LED-connector for RGB Strip	
5610130	LED-DC-Kabel m. Buchse 2m-2,1/5,5/9,5 mm	
5610131	<p>LED-DC-Kabel m. Stecker 2m-2,1/5,5/9,5 mm                  2 x 0,4 Qmm RoHs-konform                  Der Stecker kann als Verbindung vom Trafo zu einer LED-Kette benutzt werden.                  Vorausgesetzt ist ein entsprechendes Gegenstück an der LED-Kette.                  Voltage und Leistung von Trafo müssen zu der Länge der LED-Kette passen!</p>	





8540 Accessories		
5610132	LED-DC-Verlängerungskabel 3m-2,1/5,5 mm 2 x 0,4 Qmm RoHs-konform	
5610150	LIY-Schaltlitze 1 x 0,5 qmm schwarz	
5610151	LIY-Schaltlitze 1 x 0,5 qmm weiss	
5610152	LIY-Schaltlitze 1 x 0,5 qmm rot	
5610153	LIY-Schaltlitze 1 x 0,5 qmm grün	
5610154	LIY-Schaltlitze 1 x 0,5 qmm blau	
5610160	Zwillingslitze NYFAZ 2 x 0.5 mm² Schwarz	
5610190	Aderenhülsen 0,5 qmm x 6 mm (100 St.)	
5610191	Aderenhülsen, orange 0,5 qmm x 8 mm (100 St.)	

8540 Accessories

5690200	Alu-Profil, WD03, Cover clear, 2 meter	
5690201	Alu-Profil, WD04, Cover clear, 2 meter	
5699000	Konfektionierung LED Ketten	

8700 LED other		
2026600	Lightdisplay 150 x 90 mm, vertical Supporter, Glass, 3er LED-Lighting Glass: 10mm, Withglass, edge polished	
2026601	Lightdisplay 150 x 90 mm, horizontal Supporter, Glass, 6er LED-Lighting Glass: 10mm, Withglass, edge polished	
2026610	Lightdisplay 225 x 165 mm, vertical Supporter, Glass, 6er LED-Lighting Glass: 10mm, Withglass, edge polished	
2026611	Lightdisplay 225 x 165 mm, horizontal Supporter, Glass, 9er LED-Lighting Glass: 10mm, Withglass, edge polished	
2026612	Display 225 x 165 mm, vertical Supporter, Glass, Glass: 10mm, Withglass, edge polished	
2026613	Display 225 x 165 mm, horizontal Supporter, Glass, Glass: 10mm, Withglass, edge polished	
2026800	Lighting display 60x90mm with 6er LED	
2026805	Lighting display 100x100mm with 6er LED	
2026850	Tetrahedron Frame with LED lighting approx.35 x 34 x 34 w/o glass inserts	

8700 LED other		
2026851	Cap set white for Tetrahedron for 10,16x10,16x10,16cm (4"x4"x4") triangle glass inserts	
2026852	Cap dark grey for Tetrahedron for 10,16x10,16x10,16cm (4"x4"x4") triangle glass inserts	
2026853	Stainless Chain for Tetrahedron approx. 60 cm	
6560100	LED 32 pcs white OS-LM01A-W2-854 10mm strip	
6560101	LED 32 pcs yellow OS-LM01A-Y1 10mm strip	
6560103	LED 32 pcs green OS-LM01A-T1 10mm strip	
6560105	LED 32 pcs blue OS-LM01A-B1 10mm strip	
6560111	LED 32 pcs orange OS-LM01A-01 10mm strip	
6560200	Transformer Osram max 96LED	

8700 LED other			
6560300	Transformer Import max 32 LED		
6560410	LED-hookup wire YV 0,5 black minimum order quantity = 10m		
6560413	LED-hookup wire YV 0,5 red minimum order quantity = 10m		